



# M+A Matting • Satisfaction Guaranteed

M+A mats are where design and function come together, where quality isn't compromised to meet a price point, and where solutions to your maintenance and décor problems come first. We promise our customers an unconditional, 100% satisfaction guarantee for the life of the product.

At M+A, we are committed to reducing our environmental impact. We are continually improving our environmental performance as an integral and fundamental part of our business strategy and operating methods. We have reduced waste going to landfills by 80% and recycle most paper, metal, cardboard, plastic, carpet, and rubber waste we generate. Our commitment is also evident in our development of dozens of mat styles that contain recycled raw materials.

For over five decades, M+A Matting has been America's leader in innovative floor protection systems, industrial safety, anti-fatigue products, and high performance entrance matting. If you are looking for better ways to minimize maintenance, prolong floor surface life, reduce cleaning costs, improve safety, or increase worker comfort, ask for M+A Matting.



#### TABLE OF CONTENTS

Product Feature Guide	2, 3
Benefits of Anti-Fatigue Mats	4
Compression Deflection & Durometer Comparison	5
ESD Matting	6
Chemical Compatability of Nitrile Rubber	7
Mat Symbols	8,9
Mat Selector Guide	10,11
Product Comparisons (M+A vs The Competition)	12,13

PAGE 14

ANTI-FATIGUE & SLIP RESISTANT MAT COLLECTION

PAGE 32

ERGONOMIC MODULAR TILE MAT COLLECTION

PAGE **40** 

LOGO MAT, SIGN MAT & MESSAGE MAT COLLECTION

PAGE **48** 

INTERIOR-EXTERIOR MAT AND TILE COLLECTION

PRODUCT NAME	MAT TYPE	PLACEMENT	PAG
ypes of Industrial Mats & Thickness Guide			
		,	
USHION MAX™APPY FEET®			
OG HEAVEN PRIME®			
OG HEAVEN® MARBLE	S S	,	
TFIT STANDUP®		,	
OG HEAVEN® FASHION		,	
OMPLETE COMFORT™	· ·	,	
MPLETE COMFORT™	· ·	,	
JSHION STATION™	Anti-Fatigue	Wet/Dry	
MFORT FLOW™ & COMFORT SCRAPE™	Slip-Resistant/Anti-Fatigue	Wet/Dry	
et step®	Slip-Resistant/Anti-Fatigue	Wet/Dry	
IEELING COMFORT™	Anti-Fatigue	Wet/Dry	
IRE CUSHION PRODUCTS & SURE TREAD V-GROOVE	Floor Protection	.Dry	
ACTION TREAD	Slip-Resistant	.Wet/Dry	
ACTION TREAD SOFT	Slip-Resistant/Anti-Fatigue	.Wet/Dry	
DRRUGATED SWITCHBOARD & DIAMOND SWITCHBOARD	Non-Conductive	.Dry	
ILITARY SWITCHBOARD (DIAMOND & SMOOTH)	Non-Conductive	Dry	
te Assessment		,	
+A Modular Mats vs. The Competition			
DG HEAVEN III™ COMFORT	Anti-Fatigue	Dry	
OG HEAVEN III™ TRAFFIC	S S	,	
OG HEAVEN III™ POLY		,	
OMFORT FLOW™ HD & COMFORT SCRAPE™ HD			
ie M+A Logo Mat Program			
ATERHOG IMPRESSIONS HD®			
ATERHOG® LOGO INLAY			
ASSIC IMPRESSIONS™ HD & GRAND IMPRESSIONS HD			
	•		
ASSIC IMPRESSIONS™ HD CUSTOM SHAPE			
DLORSTAR® IMPRESSIONS.	•		
OG HEAVEN® IMPRESSIONS			
IPERSCRAPE IMPRESSIONS™			
eventitive Maintenance, WaterHog Backing Types, Slip-and-Fall Facts			
NTERHOG®	• •		
ATERHOG® DIAMOND			
NTERHOG® GRAND	• •		
aterhog® eco grand	·		
aterhog® eco elite			
NTERHOG® ECO PREMIER			
ATERHOG® ECO ELITE ROLL GOODS	Scraper/Wiper	.Indoor/Outdoor	
aterhog® diamondcord			
nterhog® masterpiece® select	Scraper/Wiper	.Indoor	
nterhog® plus		.Indoor/Outdoor	
ATERHOG® LOW PROFILE		Indoor/Outdoor	
ATERHOG® TILE	Scraper/Wiper	Indoor/Outdoor	
NTERHOG® MODULAR TILE	·		
NTERHOG® FORKLIFT			
LT STEP®		Outdoor	
ONTIER			
PERSCRAPE™ & SUPERSCRAPE PLUS®		Indoor/Outdoor	
CROLUXX™			
UNOLUAA DLORSTAR®	•	Indoor	
IVIRO PLUS®		Indoor	
WIKU PLUS*	· ·		
	•		
IPRESSIONIST	P -	.lndoor	
OBBLESTONE	Wiper	.Indoor	

Slip-Resistant.....

Slip-Resistant...

Scraper/Wiper .....

....Indoor...... 68

SURE STRIDE®

SURE STRIDE® PLUSH.....

CLEAN STRIDE®.....

# M+A Matting Product Feature Guide

			, He	Meas Dru	Areas Dil	Fredse Dill	Brod Ch	edical Anti	treated Welf	ing the	citedity St	atic the Arti	Agraic Money	Inductive .
Item	Category	Page Number			<b>(b)</b>	<b>(b)</b>								
	Anti-Fatigue													
Comfort Flow		25	Х	Х		Х	Х	Х	Х		Х			
Comfort Flow HD		39	Х	Х		Х	Х	Х	Х	Х				
Comfort Scrape		25	Х	Х		Х	Х	Х	Х		Х			
Comfort Scrape HD		39	Х	Х		Х	Х	Х	Х	Х				
Complete Comfort		23	Х	Х	Х		Х	Х				Х		
Complete Comfort II		22	Х	Х		Х	Х	Х	Х		Х			
Cushion Max		18	Х	Х	Х		Х					Х		
Cushion Station		24	Х	Х		Х	Х	Х	Х		Х			
GetFit StandUp (fabric	and designer top)	21		Х								Х		
Happy Feet		19	Х	Х		Х	Х		Х	Х				
Hog Heaven		17	Х	Х		Х*	Х		Х	Х				
Hog Heaven Confetti		-		Х					Х		Х			
Hog Heaven Fashion		21		Х								Х		
Hog Heaven Marble		20		Х								Х		
Hog Heaven Prime		20	Х	Х		χ*	Х	Х	Х	Х				
Hog Heaven III Comfort		36		Х		χ*	Х		Х	Х				
Hog Heaven III Poly		38		Х										
Hog Heaven III Traffic		37	Х	Х		Х	Х		Х	Х				
Kneeling Comfort		27	Х	Х		χ*	Х		Х	Х				
Sure Cushion Products	3	28		Х										
Sure Tread V-Groove		28		Х				Х						
Traction Tread Soft		29	Х	Х	Х		Х	Х	Х		Х			
Slip	Resistant Matting													
Melt Step		63	Х	Х		Х	Х		Х					
SuperScrape & SuperS	Scrape Plus	64	Х	Х		Х	Х		Х					
Sure Stride & Sure Stri	ide Plush	68	Х	Х				Х						
Traction Tread		29	Х	Х		Х	Х		Х	Х				
Wet Step		26	Х	Х		Х	Х	Х	Х		Х			
Non (	Conductive Matting													
Switchboard Matting		30-31		Х									Х	
	Logo Mats													
ColorStar Impressions		46		Х										
Classic Impressions H	D	45-46		Х							Х			
Hog Heaven Impressio	ns	47	Х	Х	Х		Х		Х					

# M+A Matting Product Feature Guide

			Me.	A Meas Dru	Areas Dil	Resistant Dil	Brook Ch	eriilisant krii	Treated West	Sale the	Stribuctive St.	Sillating Put	Static Hone	anat
Item	Category	Product Number(s)												
	Logo Mats (continued)													
SuperScrape Impre	ssions	47	Х	Х	Χ									
WaterHog Impress	ions HD	43	Х	Х								χ		
WaterHog Inlay		44	Х	Х								χ		
	Entrance Way Mats													
Brush Hog		-	Х	Х										
Classic Brush		-		Х										
Cobblestone		67		Х										
ColorStar		65		Х										
Enviro Plus		66		Х								Χ		
Frontier		64	Х	Х										
Impressionist		67		Х										
MicroLuxx		65		Х										
Plush		66		Х										
Stylist		-		Х										
SuperScrape & Sup	perScrape Plus	64	Х	Х		Х	Х		Х					
WaterHog		52	Х	Х								Χ		
WaterHog Diamon	d	53	Х	Х								Χ		
WaterHog Diamon	dcord	59	Х	Х								Χ		
WaterHog Eco Elite	9	56	Х	Х								Χ		
WaterHog Eco Gra	nd	54	Х	Х								Χ		
WaterHog Low Pro	file	60	Х	Х								χ		
WaterHog Masterp	iece Select	59	Х	Х								Χ		
WaterHog Modular	Tile	61	Х	Х								χ		
WaterHog Plus		60	Х	Х								Χ		
Victory		-		Х										
	Specialty Mats													
Clean Stride		69		Х								Χ		
WaterHog Forklift		62	Х	Х								Χ		

 $<sup>^{*}</sup>$ The 100% nitrile rubber surface is grease/oil proof; the nitrile-blended cushion is grease/oil resistant

#### The Benefits of Anti-Fatigue Mats



Anti-Fatigue mats alleviate stress to the back and legs by providing a cushioned surface to stand on.


Anti-Fatigue mats are perfect for people who have to stand or work in the same place for continual periods of time.

Anti-Fatigue mats are recommended for a wide variety of industries and are commonly placed in various applications such as:

- Production or assembly lines
- Stand Up Desks or Workstations
- Kitchens
- Cashier Desks
- Laboratories and many more

# M+A Matting Anti-Fatigue mats have been shown to do the following:

- REDUCE ENERGY CONSUMPTION BY UP TO 50% in the supporting muscles such as those in the leg and the lower back, when compared to standing on a hard floor
- REDUCE FATIGUE by promoting subtle movement in the leg and calf muscles, resulting in increased blood and oxygen flow



#### **BALANCED**

- Improves structural alignment and joint function
- Improves muscular balance and prevents nerve impingement
- Reduces uneven wear and tear on joints
- Body weight evenly distributed
- Efficient natural movement
- Reduced pressure on organs

#### **IMBALANCED**

- Neck pain and headaches
- Shoulder restrictions and pain
- Arm and hand pain nerve entrapment
- Bulging discs/back pain
- Uneven pressure/knee pain
- Uneven weight distribution
- Foot and ankle pain




# **Safety and Ergonomics**

Mats are used throughout facilities in numerous other capacities where safety is a must and anti-fatigue comfort is essential to the health and well being of employees.

- Slip and falls are the second leading cause of all workplace injuries according to Liberty Mutual Workplace Index. As many as 25,000 people a day are victims of slip-and-fall accidents (NSC).
- Compensation and medical costs associated with employee slip-and-fall accidents total approximately \$70 Billion annually (NSC).
- The average cost of a slip-and-fall injury exceeds \$12,000 (Wausau Insurance).
- The average cost to defend a slip-and-fall lawsuit is \$50,000 (NFSI).
- Back injuries account for 25% of all worker compensation claims annually
- Cumulative Standing Trauma (CST) causes billions of dollars of loss annually due to reduced productivity, increased worker compensation, higher insurance rates, and absenteeism.
- According to the American College of Occupational and Environmental Science, about 38% of workers in the United States suffer from fatigue.

Testing shows that ergonomic matting can reduce worker fatigue.

# **Compression Deflection & Durometer (Hardness) Comparison**



# **Compression Deflection**

General Principal

- 1. This test was designed to assess and compare performance characteristics of a variety of industrial anti-fatigue mats submitted for testing. Two specific load levels were applied to the test samples and the results show the deflection measured. The two specific load levels performed were 20 psi, equal to a 150 pound human and 40 psi, equal to a 600 pound human.
- 2. Readings suggest that less than 20% deflection could be perceived as too hard and readings above 60% deflection could be perceived as too soft. It appears that between 20% and 60% deflection anti-fatigue properties can be felt.

#### **Durometer/Hardness**

General Principal

### **TEST RESULTS**



#### **COMPETITOR'S**

#### **Comfort Flow™** & Cushion Station™

Comfort Flow: 28% deflection @20psi 46% deflection @40psi

Cushion Station: 36% deflection @20psi 49% deflection @40psi

> Durometer/Hardness: Comfort Flow: 45 Cushion Station: 50-55

#### **Traditional Industrial Red Mat**

11% deflection @20psi 22% deflection @40psi

Durometer/Hardness: 70

#### **Cushion Max**

49% deflection @20psi 65% deflection @40psi

#### **PVC Foam**

38% deflection @20psi 59% deflection @40psi

### Hog Heaven® 5/8"

40% deflection @20psi 55% deflection @40psi

Durometer/Hardness: 56

#### Diamond Plate 5/8"

48% deflection @20psi 65% deflection @40psi

Durometer/Hardness: 85



### **ESD Matting**

# ESD Matting is designed to quickly drain static electricity from people to help protect sensitive equipment from damage.

ESD Matting is divided into three classifications:

- 1. Electrically Conductive is rated 10^1 to 10^5 and accepts static electricity the quickest. This is the most often used ESD matting.
- **2. Static Dissipative** is rated 10<sup>6</sup> to 10<sup>9</sup> and is the middle range of ESD matting.
- **3. Anti-Static** is rated 10^10 to 10^12 and accepts static the slowest.

ESD Matting is rated in ohms, or the measure of resistance. The lower the resistance, the more quickly static is accepted by the matting, i.e., the lower the exponential, the more quickly static is accepted.

#### **Electrically Conductive Mats** Comfort Flow™ HD Surface to Surface 50% Relative Humidity | 12% Relative Humidity 4.6 x 10<sup>4</sup> Ohms 6.2 x 104 Ohms Comfort Scrape™ HD Surface to Surface 50% Relative Humidity | 12% Relative Humidity 4.6 x 10<sup>4</sup> Ohms 6.2 x 10<sup>4</sup> Ohms Happy Feet® Surface to Surface 50% Relative Humidity 12% Relative Humidity 1 9 x 10<sup>4</sup> Ohms 2 0 x 104 Ohms Hog Heaven® Surface to Surface 50% Relative Humidity | 12% Relative Humidity 2.6 x 10<sup>5</sup> Ohms 3.0 x 105 Ohms Hog Heaven III™ Comfort Surface to Surface 50% Relative Humidity | 12% Relative Humidity 9.4 x 10<sup>5</sup> Ohms 9.3 x 105 Ohms Hog Heaven III™ Traffic Surface to Surface 50% Relative Humidity 12% Relative Humidity 17 x 10<sup>5</sup> Ohms 2 0 x 10<sup>5</sup> 0hms **Traction Tread** Surface to Surface 50% Relative Humidity 12% Relative Humidity

Static Dissi	pative Mats
Comfo	rt Flow™
Surface to	o Surface
50% Relative Humidity	12% Relative Humidity
2.0 x 10 <sup>9</sup> Ohms	2.5 x 10 <sup>9</sup> Ohms
Comfort	Scrape™
Surface to	o Surface
50% Relative Humidity	12% Relative Humidity
2.0 x 10 <sup>9</sup> Ohms	2.5 x 10 <sup>9</sup> Ohms
Complete	Comfort™ II
Surface to	o Surface
50% Relative Humidity	12% Relative Humidity
3.3 x 10 <sup>9</sup> Ohms	3.4 x 10 <sup>9</sup> Ohms
Cushion	Station™
Surface to	o Surface
50% Relative Humidity	12% Relative Humidity
3.9 x 10 <sup>9</sup> Ohms	3.9 x 10 <sup>9</sup> Ohms
Traction	Tread Soft
Surface to	o Surface
50% Relative Humidity	12% Relative Humidity
6.0 x 10 <sup>9</sup> Ohms	6.0 x 10 <sup>9</sup> Ohms

#### Accessories

**Ground Cords** are used to allow static electricity to pass more efficiently to a ground and provide a controlled path. Use the cord to connect all ESD floor mats to a building ground. The terminal can be connected to an electrical outlet using the screw in the outlet cover.

1.5 x 105 Ohms

6.2 x 10<sup>4</sup> Ohms



**Heel Grounders** are made for workers wearing rubber soles and other insulating shoes. They allow static electricity to pass around the shoe into the ESD matting. Fasten the Heel Grounder to the heel of the shoe with the Velcro and allow the fabric strip to touch the sock or skin for best performance.



# **Chemical Compatibility of Nitrile Rubber Products**

	Chemical Tested	Rating
А	Aliphatic Hydrocarbons - Kerosene, Etc.	1
В	Animal & Vegetable Oils	1
С	Aromatic Hydrocarbons - Benzol, Toluol, Etc.	1
D	Bleach	1
E	Concentrated Alkali	1
F	Cutting Oil	1
G	Denatured Alcohol	1
Н	Diesel	1
I	Dilute Alkali	1
J	Engine Oil	1
K	Gasoline	1
L	Hydraulic Fluid Silicate Ester	1
M	Hydraulic Fluid Water Glycol	1
N	L.P. Gas, Fuel Oils	1
0	Lubricating Oils - High Aniline	1
Р	Lubricating Oils - Low Aniline Point	1
Q	Mineral Spirits	1
R	Muriatic Acid - 30%, 20 Degrees Baume	1
S	Phosphoric Acid	1
T	Pine Cleaner	1
U	Refrigerants, Ammonia	1
٧	Sodium Hydroxide, Rayon Grade, 25%	1
W	Sulphuric Acid - 30%	1
Χ	Transmission Fluid	1
Υ	WD40	1
Z	Water	1
AA	Window Cleaner	1
BB	Anti-Freeze	2
CC	Brake Fluid	2
DD	Calcium Hypochlorite - 12%	2
EE	Chlorine Bleach - 12.5%	2
FF	Hydraulic Fluid - Petroleum Base	2
GG	Steam	2
НН	Butyl Alcohol	3
II	Isopropyl Alcohol - 99%	3
JJ	Acetic Acid - 56%	4
KK	Acetone	4
LL	Cyclohexane	4
MM	Refrigerants, Methyl Chloride	4
	·	

# Applies to these products:





Hog Heaven III Modular Traffic





Safety Scrape

Hog Heaven





Hog Heaven III Modular Comfort

Cushion Station





Comfort Flow HD Modular Tile





Traction Tread

Traction Tread Soft





Hog Heaven Prime

Complete Comfort II

- 1 =Little or no effect
- 2 = Minor to moderate effect
- 3 = Moderate to severe effect
- 4 = Not recommended

#### **Mat Symbols**



### **Anti-Fatigue**

Ergonomic mats and floor tiles reduce fatigue by up to 50%. Antifatigue mats help increase blood circulation and reduce pressure on the body's musculoskeletal system. They also reduce foot arch pronation, varicose veins, and pain commonly attributed to standing for long periods of time.



#### Safety

Matting and tiles with highly visible, colored borders and beveled edges reduce trips and falls.



#### **Chemical Resistant**

Many M+A Matting mats are manufactured with nitrile rubber which is resistant to most commonly used chemicals. Please consult the chemical compatibility chart on page 5 for additional information.



# **Oily Environment**

Nitrile rubber mats withstand degradation from oils and grease. These mats are suitable for use in environments with industrial oils, machine lubricants, greases, food grade oils, etc.



#### Wet Areas

Matting suitable for wet environments; products with this icon have a bi-level surface and water dam designed to hold moisture and keep floors dry, or they have openings designed to let water pass through the mat and keep the work surface dry, or are otherwise designed to be slip-resistant in wet environments.



#### **Dry Areas**

80% of applications are for dry environments and are designed to hold up under heavy foot traffic. Matting and tiles are available in a wide range of sizes, materials and colors.



#### **ESD**

Matting that dissipates static electricity from people to protect sensitive equipment and small static generated electric shocks.



### **Welding Safe**

Matting that is suitable for use in locations of high temperatures and welding slag. The temperature resistant rubber can withstand temperatures up to 1742 degrees Fahrenheit from welding slag and hot metal shavings.

#### **Mat Symbols**



#### **Anti-Slip**

Uniquely designed texturized surfaces prevent slip and fall accidents. Heavy-duty rubber keeps the mats in place and prevents movement on a variety of surfaces.



#### **Non-Conductive**

Matting created for Switchboards and high voltage areas. Prevents workers from being grounded and reduces the potential for injuries caused by electrical shock.



#### **Cart Traffic**

Matting and tiles designed to withstand heavy cart traffic, and is also an ideal placement around heavy objects.



#### **Anti-Microbial**

Matting permanently treated with an anti-microbial agent that guards against degradation from micro-organisms and minimizes mats being a source of odors.



# Interlocking Floor Tiles / Mats

Tiles that can be customized to fit large work areas and various shapes around work tables, machinery, conveyors, etc. Interlocking tiles may be easily reconfigured as equipment is moved.



### Scraper

Scraper mats are heavy-duty mats designed to stop mud and larger particles of dirt from being tracked inside buildings.



# Scraper/Wiper


Scraper/Wiper mats provide scraping action and wiping to further stop dirt and moisture from entering a facility. These mats are typically made of tough heavy-duty commercial fabrics. They retain dust in recessed grooves while absorbing moisture in the fabric surface.




#### Winer

Wiper mats are designed to stop any remaining dust and moisture. These mats are made with a variety of carpeted surfaces and colors to compliment a wide range of interiors.

# **Mat Selector Guide**







Mat	Area
G,E	Cafeteria/Break
K,A	Clean Room
M,L	Dry Assembly
F,Q	Electric Panel
R,H	Entrance
C,G	Eyewash Stations
G,C	Food Prep
I,G	Locker Room
L,M	Mail & Samples
L,P	Maintenance
M,L	Manufacturing
M,L	Molding
S,J	Offices
L,M	Packing Lines
O,N	Paint
L,M	Quality Control
S,B	Reception
L,M	Rework
L,M	Shipping/Receiving
M,L	Stamping
O,N	Testing Labs
L,M	Tool Crib
T,U	Vestibule
L,M	Warehouse
M,L	Welding
C,D	Wet Assembly

	Mat Style & Product Number
A	Clean Stride #412
В	Classic Solutions #120
C	Comfort Flow #420
D	Comfort Flow Modular Tile #4430
E	Comfort Scrape #430
F	Corrugated Switchboard #781
G	Cushion Station #370/371
Н	SuperScrape #555
1	Frontier #437
J	GetFit StandUp Mat #4442
K	Happy Feet #465
L	Hog Heaven #424
M	Hog Heaven III Comfort Modular Tile #4471
N	Hog Heaven III Poly Modular Tile #4482
0	Hog Heaven Marble Top #448
P	Kneeling Comfort #433
Q	Military Switchboard Diamond #789
R	SuperScrape Plus #5558
S	ColorStar #100
Ţ	WaterHog #200/280
U	WaterHog Modular Tile #2210

The first letter denotes **Best** choice, the second letter is a **Good** secondary option for the corresponding areas of a facility.

These are the most commonly used mats & floor tiles in industrial manufacturing facilities. The letter corresponds with the area chart to the left to help you locate the correct mat for a specific location.

# Are you getting the most from your anti-fatigue mats?





Hog Heaven®	VS.	Traditional Diamond Plate
Durable nitrile rubber surface; nitrile-blended foam cushio	on	PVC Surface; PVC foam cushion

Slip-resistant, even when wet (0.86 wet per ASTM C1028-96)

Slippery when wet (0.17 wet per ASTM C1028-96)

Welding Safe Not recommended for welding

Oil/grease proof surface; oil/grease resistant cushion

Not recommended for use around oil/chemicals

Electrically conductive No anti-static benefits

Rubber borders will not ripple or curl PVC borders will ripple & curl over time

Cushion is permanently molded to surface Cushion is glued to surface and can delaminate

100% customer satisfaction gurantee 3-year guarantee

# Do you want urethane comfort at an affordable price?






Hog Heaven Prime®	VS.	Commercial Grade Urethane

\$75.00	2' x 3' Retail Price	\$120.00
5/8"	Thickness	3/4"
18 % at 20 psi, 35% at 40 psi	Compression Deflection	12% at 20 psi, 34% at 40 psi
61 grams (-1.92%)	Tabor Abrashion	-1.20 grams (-3.22%)
28.44 lbs	Tensil Strength	29.47 lbs
21.7 lbs	Tear Strength	8.8 lbs
18.4 lbs	Puncture Test	18.7 lbs
Yes	<b>Electrically Conductive</b>	No
Yes	Welding Safe	No
Yes	Chemical Resistant	No
Yes	Slip Resistant Backing	No
100% customer satisfaction guaranteed	Warranty	Limited

# Are all industrial mats the same?





Cn	mfn	rt F	low™

VS.

#### **Traditional Industrial Mat**

Made of durable nitrile rubber foam	Made of PVC
Grease/oil proof & chemical resistant	Minimal grease/oil & chemical resistance
Superior anti-fatigue properties	Minimal anti-fatigue properties
Anti-microbially treated for odor control	No anti-microbial treatment
Light weight, easy to lift, roll, and clean	Heavy, difficult to move/roll
Beveled edges allow carts to easily roll over	No beveled edges; can create tripping hazard
100% customer satisfaction guaranteed	Limited warranty

# Similar cost... twice the life!





Cushion Max™

VS.

**PVC Foam Cushion** 

Nitrile-blended closed-cell foam

**PVC Foam** 

Durable diamond pattern surface

Ribbed surface (prone to peeling & shaving)

5/8" thickness

5/8" thickness

Drainable; can be used in wet environments

Non-drainable; not suitable for wet environments


Excellent anti-fatigue properties

Minimal anti-fatigue properties

100% customer satisfaction guaranteed

1-year warranty







# ANTI-FATIGUE, SLIP-RESISTANT, & FLOOR PROTECTION MAT COLLECTION

HOG HEAVEN®

CUSHION MAX™

HAPPY FEET®

HOG HEAVEN PRIME®

HOG HEAVEN® MARBLE

GETFIT STANDUP® MAT

HOG HEAVEN® FASHION

COMPLETE COMFORT™ II

COMPLETE COMFORT™

CUSHION STATION™

COMFORT FLOW™

COMFORT SCRAPE™

WET STEP®

KNEELING COMFORT $^{\text{\tiny{M}}}$ 

SURE CUSHION RIBBED

SURE CUSHION TEXTURE

SURE CUSHION HEAVY DUTY

SURE CUSHION YELLOW BORDER

SURE TREAD V-GROOVE

TRACTION TREAD

TRACTION TREAD SOFT

CORRUGATED SWITCHBOARD

DIAMOND PLATE SWITCHBOARD

MILITARY SWITCHBOARD

MILITARY SWITCHBOARD SMOOTH



# **Anti-Fatigue Mats**

**Provide Comfort and Increase Productivity** 

Anti-Fatigue mats are available in a wide range of sizes, weights and materials. It has been proven that the proper use of anti-fatigue mats can enhance worker productivity. These mats are designed for use wherever workers spend time standing and will help to eliminate muscular skeletal disorders.



# **Slip Resistant and Safety Mats**

**Protect Against Slips and Falls** 

Slip resistant and safety mats help provide safe working areas for employees and visitors to facilities. 85% of worker's compensation claims are attributed to employees slipping on slick floors. The utilization of slip resistant mats is an ideal solution to prevent such accidents from occurring.



# **Flow Through Mats**

Wet Area Solution

Flow through mats allow liquids to pass through them to eliminate slip hazards. Anti-fatigue properties provide comfort when standing for long periods of time. The thick rubber helps alleviate stress on the legs, feet and lower back.



# **Runner and Floor Protection Matting**

Runner matting made with nitrile rubber covers inside walkways and helps reduce slips and falls. Slips and falls are a leading cause of accidents in the workplace and providing sure footing is important to help decrease these types of accidents. Runner matting also protects the floor from parts or other objects being dropped, as well as aids in noise abatement.



# **Switchboard Matting**

Switchboard matting protects workers from dangerous and harmful deadly shocks that can occur with electrical switchboards. This matting keeps the workers from being grounded and insulates them against high voltage. Switchboard matting is commonly referred to as non-conductive matting.

#### **Mat Thicknesses**





#### **HOG HEAVEN®**

Anti-Fatigue · Slip-Resistant

5/8" Black Border Product No. 421 Product No. 423 5/8" Yellow Border **Black Border** Product No. 422 **Yellow Border** Product No. 424

- **Comfortable** High-density nitrile-blended cushion helps eliminate pressure to the lower back and legs, providing superior comfort
- Safe Certified high-traction by the National Floor Safety Institute (NFSI); edges will not crack or curl and provide a safe transition from floor to mat
- **Durable** Nitrile-blended cushion provides years of useful service life; cushion is molded, not glued, to the nitrile rubber surface so it will not separate
- Versatile Welding safe; grease/oil proof surface (resistant cushion); chemical resistant; ESD rating of electrically conductive
- Available in 5/8" or 7/8" thicknesses with solid black or with OSHA-approved caution yellow borders
- Can be customized with your logo, design, or message (see Hog Heaven Impressions)



SIZES

2' x 3' 3' x 5'

3' x 12'

4' x 6'

to 60'.

4.8' x 8' Additional

lengths up

See price list for all

additional

sizes.

Sizes are

approximate.





















**Caution Yellow** 

Black











Dry or Wet / Indoor

# **CUSHION MAX™**

Anti-Fatigue · Slip-Resistant · Flow Through

5/8" with holes

Product No. 413 without holes Product No. 414





- Safe Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- Comfortable 5/8" nitrileblended closed-cell foam provides superior anti-fatigue properties
- **Durable** Diamond-pattern surface provides increased durability compared to ribbed surfaces which tend to peel and shave; grease/oil resistant; chemical resistant
- Available with drainage holes for wet area applications

#### SIZES

2' x 3' 3' x 5' 3' x 12' 4' x 6' Additional lengths up to 45'. See price list for all additional sizes.

Sizes are approximate.









**Happy Feet Linkable** 

(enlarged view)



# HAPPY FEET®

Anti-Fatigue · Slip-Resistant

ъ	ΙА	n	•	D	n	n	n	F 6	
- 10	LA	ш	N	D	u	ĸ	U	ER	

1/2"Textured SurfaceProduct No. 4651/2"Grip SurfaceProduct No. 475

#### Linkable

1/2" Textured Surface: End Product No. 467
1/2" Textured Surface: Middle Product No. 469
1/2" Grip Surface: End Product No. 477
1/2" Grip Surface: Middle Product No. 479

#### **CAUTION YELLOW BORDER**

1/2"	lextured Surface	Product No. 466
1/2"	Grip Surface	Product No. 476
	Linkable	
1/2"	Textured Surface: End	Product No. 468
1/2"	Textured Surface: Middle	Product No. 470
1/2"	Grip Surface: End	Product No. 478

• **Comfortable** – 1/2" dense foam cushion encapsulated in nitrile rubber provides excellent anti-fatigue qualities

1/2" Grip Surface: Middle

 Safe — Certified high-traction by the National Floor Safety Institute (NFSI); low profile beveled edges provide a safe floor-to-mat transition

• **Durable** — Borders will not crack or curl; nitrile rubber surface is penetration proof

 Versatile - Welding safe; grease/oil proof; chemical resistant; ESD rating of electrically conductive

#### MAT SIZES

Product No. 480


2' x 3' 3' x 5' Sizes are approximate.

#### LINKABLE SIZES

Linkable End 34" x 59.875"

Linkable Middle 34" x 61.25"

- Available in two surface types: textured surface for dry/ damp environments or grip surface for wet areas where additional traction is needed; Happy Feet with textured surface can be autoclave sterilized
- Available in solid black or with OSHA-approved caution yellow borders
- Linkable mats are available for larger areas





Caution Yellow

Black



















#### **HOG HEAVEN PRIME®**

Anti-Fatigue · Slip-Resistant

3/4" Black 3/4" Caution Yellow Product No. 4220 Product No. 4221

• Comfortable — High-density nitrile-blended cushion runs edge to edge and helps eliminate pressure to the lower back and legs, providing superior comfort

• Safe - Certified high-traction by the National Floor Safety Institute (NFSI); beveled edges will not crack or curl and provide a safe transition from floor to mat 2' x 3' 3' x 5' 3' x 10' Sizes are approximate.

SIZES

• **Durable** — Nitrile-blended cushion provides years of useful service life; cushion is molded, not glued, to the nitrile rubber surface so it will not separate; anti-microbially treated to provide lifetime protection from odors and degradation

- Versatile High-heel safe; grease/oil proof surface (resistant cushion); chemical resistant; welding safe; ESD rating of electrically conductive
- Available in solid black or with OSHA-approved caution yellow borders



# **HOG HEAVEN®** MARBLE TOP

Anti-Fatigue · Slip-Resistant

Product No. 448 7/8" Product No. 449

- Comfortable High-density nitrileblended cushion helps eliminate pressure to the lower back and legs. providing superior comfort; smooth rubber top allows workers to pivot freely
- Safe Certified high-traction by the National Floor Safety Institute (NFSI); edges will not crack or curl and provide a safe transition from floor to mat
- **Durable** Rubber surface is molded, not glued, to the nitrile-blended cushion so it will not separate
- Easy to Clean Smooth diamondpatterned rubber surface is easy to
- Available in 5/8" or 7/8" thicknesses and four neutral colors to blend with any décor


#### SIZES

2' x 3' 3' x 5' 3' x 12' 4' x 6'

Additional lengths up to 60'. See price

list for all additional sizes.

Sizes are approximate.



**Blue Merle** 

Amber Maple




Midnight Swirl





**Granite Dusk** 





#### **GETFIT STANDUP® MAT**

Anti-Fatigue · Slip-Resistant

5/8" Fabric Top Product No. 4443 5/8" Rubber Top Product No. 4447 5/8" Designer Top Product No. 4448

• **Comfortable** – 5/8" nitrile-blended cushion provides excellent anti-fatigue properties and alleviates pain from extended standing

22" x 32" 22" x 50" 22" x 60"

**SIZES** 

• **Safe** — Beveled edges provide a seamless transition from floor to mat; edges will not crack or curl

34" x 47" 34" x 60"

#### • Stain-Resistant

- Available in 3 surface types an environmentally-friendly PET fabric top (made from recycled plastic bottles), a polyester designer top, or a rubber top\* for maximum durability
- \* Rubber top is grease/oil resistant; chemical resistant; welding safe; ESD rating of electrically conductive; anti-microbially treated for lifetime protection from odors



#### **HOG HEAVEN® FASHION**

Anti-Fatigue · Slip-Resistant

5/8" Product No. 441 7/8" Product No. 442


- **Comfortable** High-density nitrile-blended cushion helps eliminate pressure to the lower back and legs, providing superior comfort
- Safe Certified high-traction by the National Floor Safety Institute (NFSI); edges will not crack or curl and provide a safe transition from floor to mat
- **Durable** Solution-dyed fabric surface is fade resistant and molded, not glued, to the nitrile-blended cushion so it will not separate
- Attractive —Available in four neutral colors to blend with virtually any décor
- Available in 5/8" or 7/8" thicknesses

#### SIZES

2' x 3' 3' x 5' 3' x 12'

Additional lengths up to 60'. See price list for all additional sizes.

Sizes are approximate.













Granite

Cocoa Brown

**Cobalt Blue** 

**Coal Black** 



5/8" Product No. 594

- ullet Comfortable -1/2" thick nitrile foam provides superior anti-fatigue properties
- Clean Anti-microbial treatment provides lifetime protection from odors and degradation
- Safe Beveled edges provide a safe transition from floor to mat
- **Versatile** Grease/oil proof; chemical resistant; welding safe; ESD rating of static dissipative
- Easy to Clean Can be autoclave sterilized; can withstand commercial laundering

#### SIZES

2' x 3'

3' x 4'

3' x 5'

4' x 6'

Sizes are approximate.
























Anti-Fatigue · Slip-Resistant · Flow Through

7/16" without holes 7/16" with holes

• **Comfortable** – 7/16" nitrile foam provides excellent anti-fatigue properties

• Clean — Anti-microbial treatment provides

National Floor Safety Institute (NFSI)

lifetime protection from odors and degradation

• Safe - Beveled edges provide a safe transition

from floor to mat; certified high-traction by the

• **Versatile** — Grease/oil proof; chemical resistant;

welding safe; ESD rating of static dissipative

• Easy to Clean — Flexible construction makes this

mat easy to clean; can be autoclave sterilized

Product No. 370 Product No. 371






2' x 3.2' 3.2' x 5.3' 3.2' x 8.3' 3.2' x 12.3' 3.2' x 16.1' 3.2' x 20.1' 4' x 5.92' 4' x 8.3' 4' x 12.3' 4' x 16.1' 4' x 20.1'

Sizes are approximate.







• Available with drainage holes for wet area applications









Product No. 430

#### **COMFORT FLOW™**

Slip-Resistant · Flow Through · Anti-Fatigue

3/8" **Comfort Flow**  Product No. 420

- Clean Lifetime anti-microbial treatment prevents odors and degradation of the mat
- Safe Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- **Comfortable** High-density closed-cell nitrile rubber cushion provides excellent anti-fatigue qualities
- **Versatile** Grease and oil proof; chemical resistant; welding safe; ESD rating of static dissipative
- Easy to Clean Lightweight flexible design ensures easy handling and cleaning
- Comfort Flow has drainage holes to allow liquids to flow through. Comfort Scrape has a non-draining surface



2' x 3' 3' x 5'

4' x 6'

3' x 9'

Sizes are approximate.



Dry or Wet / Indoor or Outdoor









#### **WET STEP®**

Slip-Resistant · Flow Through · Anti-Fatigue

#### 1/4" Product No. 789

- Slip-Resistant & Safe Drainage holes allow water to freely drain away; certified hightraction by the National Floor Safety Institute (NFSI)
- **Comfortable** ¼" thick high-density nitrile rubber foam provides anti-fatigue properties making it very comfortable for bare feet
- Clean Anti-microbially treated to help prevent odors and degradation; can be autoclave sterilized
- **Durable** Nitrile rubber foam is UV resistant and provides years of service life
- Recommended for pools, spas, showers, locker rooms, and other wet areas


#### SIZES

2' x 3' 3' x 5' 3' x 10' 3' x 20' Additional lengths up to 20'. See price list for all

additional

sizes.

Sizes are approximate.













#### **KNEELING COMFORT™**

Anti-Fatigue · Slip-Resistant

#### 7/8" Product No. 433

**Kneeling Comfort** 

- Comfortable 7/8" cushion reduces knee trauma and lower back stress
- Clean Closed-cell nitrile rubber foam will not absorb liquids and wipes clean with soap and water
- **Durable** Grease/oil proof surface (resistant cushion); chemical resistant; welding safe
- Safe Certified high-traction by the National Floor Safety Institute (NFSI); ESD rating of electrically conductive

• Convenient - Built-in handle enables easy transportation and storage



Dry or Wet / Indoor or Outdoor





12" x 22" 18" x 30" Sizes are approximate.



#### SURE CUSHION RIBBED

#### 3/8" Product No. 415

Ribbed PVC foam\*

SIZES

2' x 3' 2' x 60' 3' x 5' 3' x 60' 3' x 12' 4' X 60'

Additional lengths up to 60'. See price list for all additional sizes. Sizes are approximate.

# SURE CUSHION TEXTURE

#### 3/8" Product No. 425

• Textured PVC foam\*

SIZES

2' x 3' 3' x 12' 3' x 5' 3' x 60'

Additional lengths up to 60'. See price list for all additional sizes. Sizes are approximate.

# SURE CUSHION HEAVY DUTY

#### 1/2" Product No. 428

- PVC foam for heavy use areas\*
- 80 mil solid vinyl surface combined with a non-closed cell vinyl cushion back
- Beveled on all sides for safety

SIZES

2' x 3' 3' x 12' 3' x 5' 3' x 60'

Additional lengths up to 60'. See price list for all additional sizes. Sizes are approximate.

# SURE CUSHION YELLOW BORDER

#### 3/8" Product No. 427

 PVC foam with yellow border on two sides\* SIZES

2' x 3' 3' x 12' 3' x 5' 3' x 60'

Additional lengths up to 60'. See price list for all additional sizes. Sizes are approximate.

# SURE TREAD V-GROOVE

#### 1/8" Product No. 505

- Solid vinyl
- Chemical resistant
- Provides protection for all types of floors from abuse due to chairs, tables and foot traffic
- Great for walkways, inclines, and ramps
- Can be rolled for easy storage

# **SIZES**3' x 105' 4' x 105'

Additional lengths available. Sizes are approximate.

\* NOT guaranteed against damage from high heels, casters or chair legs. Not recommended for use in wet areas.

Sure Cushion Yellow Border





#### TRACTION TREAD

Slip-Resistant · Floor Protection

#### 1/8" Product No. 50

Traction Tread mats are designed to provide slip-resistant floor protection in a variety of settings.

- Slip-Resistant & Safe Certified high-traction by the National Floor Safety Institute (NFSI)
- **Durable** 1/8" solid nitrile rubber provides years of service life and will not crack or curl
- Versatile Grease/oil proof; chemical resistant; welding safe; ESD rating of electrically conductive

#### SIZES

2' x 3' 3' x 5'


3' x 9'

3' x 12' 4' x 6' 4' x 9'

4' x 12'

Sizes are approximate.





















Dry or Wet / Indoor

# TRACTION TREAD SOFT

Slip-Resistant · Floor Protection · Anti-Fatigue

#### 1/4" Product No. 56

• Slip-Resistant & Safe - Certified high-traction by the National Floor Safety Institute (NFSI)

• **Comfortable** – ¼" thick high-density nitrile rubber foam provides anti-fatigue properties

• **Odor Resistant** — Anti-microbially treated to help prevent odors and degradation

 Durable — Nitrile rubber foam provides years of service life and will not crack or curl

• **Versatile** — Grease/oil resistant; chemical resistant; welding safe; static dissipative

SIZES


2' x 3' 3' x 5'

3' x 9' 3' x 12'

4' x 6'

4' x 9' 4' x 12'

Sizes are approximate.





# **CORRUGATED SWITCHBOARD**

Non-conductive

#### 1/4" Product No. 781

SIZES 24" x 75'

36" x 75'

48" x 75'

Additional lengths

up to 75'.

See price

list for all additional

- Non-conductive
- Type II, Class 2 meets additional testing for Flame, Oil and Ozone resistance
- Protects workers from electrical shock by insulating against high voltage
- Corrugated Switchboard matting conforms to ASTM testing D-178-01
- Tested dielectric strength 30,000 volts





Dry / Indoor







Diamond Plate Switchboard

Dry / Indoor

# **DIAMOND PLATE SWITCHBOARD**

Non-conductive

#### 1/4" Product No. 783

- Non-conductive
- Type II, Class 2 meets additional testing for Flame, Oil and Ozone resistance
- Protects workers from electrical shock by insulating against high voltage
- Diamond Plate Switchboard matting conforms to ASTM testing D-178-01
- Tested dielectric strength 30,000 volts
- Maximum use voltage is 17,000 volts

SIZES 36" x 75'

Sizes are approximate.







### **MILITARY SWITCHBOARD** DIAMOND

Non-conductive

#### 3/16" Product No. 784

• Non-conductive

• Meets strict Military specification standard MIL-DTL 15562G

• Type III - PVC runner material protects workers in high voltage use areas

• Dielectric Strength: The floor covering shall not fail at less than 30,000 volts when tested as specified - MIL-DTL 15562G

**SIZES** 

36" x 75'

Sizes are approximate.






Dry / Indoor





Dry / Indoor



### **MILITARY SWITCHBOARD SMOOTH**

Non-conductive

#### 1/8" Product No. 782

Non-conductive

• Meets strict Military specification standard MIL-DTL 15562G

• Type II - PVC runner material protects workers in high voltage use areas

• Dielectric Strength: The floor covering shall not fail at less than 30,000 volts when tested as specified - MIL-DTL 15562G


SIZES

36" x 75'

Sizes are approximate.










# **ERGONOMIC MODULAR TILE MAT COLLECTION**

HOG HEAVEN III™ COMFORT MODULAR TILE HOG HEAVEN III™ COMFORT LINKABLE MATS HOG HEAVEN III™ COMFORT WORKSTATION MATS HOG HEAVEN III™ TRAFFIC MODULAR TILE HOG HEAVEN III™ TRAFFIC MODULAR TILE DRAINABLE HOG HEAVEN III™ TRAFFIC LINKABLE MATS HOG HEAVEN III™ TRAFFIC LINKABLE MATS DRAINABLE HOG HEAVEN III™ POLY MODULAR TILE HOG HEAVEN III™ POLY LINKABLE MATS HOG HEAVEN III™ POLY WORKSTATION MATS COMFORT FLOW™ HD MODULAR TILE COMFORT FLOW™ HD LINKABLE MATS COMFORT FLOW™ HD WORKSTATION MATS COMFORT SCRAPE™ HD MODULAR TILE COMFORT SCRAPE™ HD LINKABLE MATS

# Site Audit/Assessment





# A Site Audit by an M+A Matting Expert Includes:

- A complete assessment of your facility
- Review of the findings with you
- Development of a plan based on your budget and timeline
- Delivery of a report based on the information above

# Benefits to Employees:

- 1. Reduced fatigue and improved skeletal structure alignment
- 2. Increased productivity
- 3. Improved morale
- 4. Reduced slips, trips, and falls

# M+A Matting Modular Mats vs. The Competition



## Hog Heaven III™ Comfort Modular Tile

## **Competitor Rubber Tile**

3/4"	Thickness	3/4"
57	Durometer	65
19% @ 20 psi / 33% @ 40 psi	Compression Deflection	11% @ 20 psi / 18% @ 40 psi
Electrically Conductive 9.4 x 10 <sup>5</sup> ohms	ESD Rating	( $10^9$ ohms per sq) ASTM D-257
Yes	Chemical/Oil Resistant	Yes
0.96 Dry, 0.86 Wet per ASTM C1028-96	Coefficient of Friction	0.96 Dry per ASTM D1677
Yes	Welding Safe	No
Flammability DOC-FF-1-70 "A" Rating	Flammability	Flammability D.O.C F.F1-70 (Pill Test)
Yes	Nitrile Cushion Backing	No






## Hog Heaven III™ Traffic Modular Tile

#### VS.

## **Competitor Heavy Duty Hard PVC Tile**

5/8"	Thickness	7/8"
50-55	Durometer	95
23% @ 20 psi / 34% @ 40 psi	Compression Deflection	5% @ 20 psi / 7% @ 40 psi
Electrically Conductive $1.7 \times 10^5$ ohms	ESD Rating	No
Yes	Chemical/Oil Resistant	No
.94 Dry, .69 Wet per ASTM C1028-96	Coeffecient of Friction	0.65 Dry, 0.42 Wet per ASTM F1677
Yes	Welding Safe	No
Flammability DOC-FF-1-70 "A" Rating	Flammability	Flammability MVSS 302 / A Rating





## **Comfort Flow HD Modular Tile**

#### VS.

## **Competitor Heavy Duty Drainage PVC Tile**

5/8"	Thickness	7/8"
75	Durometer	95
15% @ 20 psi / 18% @ 40 psi	Compression Deflection	5% @ 20 psi / 7% @ 40 psi
Electrically Conductive 4.6 x 10 <sup>4</sup> ohms	ESD Rating	No
Yes	Chemical/Oil Resistant	No
0.87 Dry, 0.83 Wet per ASTM C1028-96	Coefficient of Friction	0.65 Dry, 0.42 Wet per ASTM F1677
Yes	Welding Safe	No
Flammability DOC-FF-1-70 "A" Rating	Flammability	Flammability MVSS 302 / A Rating
Yes	Anti-Microbial	No





Dry / Indoor

#### HOG HEAVEN III COMFORT MODULAR TILES



#### HOG HEAVEN III COMFORT LINKABLE MATS



## HOG HEAVEN III™ COMFORT TILES & MATS

Anti-Fatigue · Slip-Resistant

3/4" Modular Tile 18" x 18"
3/4" Modular Tile 36" x 36"
3/4" Linkable Mats black border
3/4" Linkable Mats Yellow Border
3/4" Workstation Black Border
3/4" Workstation Yellow Border

 Comfortable — High-density, closed-cell nitrile rubber cushion provides excellent anti-fatigue qualities to reduce the pain and fatigue associated with standing for long periods of time

- Safe Certified high-traction by the National Floor Safety Institute (NFSI); beveled edges provide a safe transition from floor to mat and will not crack or curl
- Durable Nitrile-blended cushion provides years of useful life and is molded, not glued, to the nitrile rubber surface so it will not separate
- Versatile Welding safe; grease/oil resistant\*; chemical resistant; ESD rating of electrically conductive
- Mats and tiles are ¾" thick and available with black or OSHA-approved caution yellow border
- Recommended for distribution, manufacturing, and retail facilities for picking lines, assembly lines, workstations, check-out stations, and more

\*The 100% nitrile rubber surface of Hog Heaven III Comfort is grease/oil proof while the nitrile-blended cushion is grease/oil resistant.

# MODULAR TILE SIZES

18" x 18"

Product No. 4471

Product No. 4472

Product No. 4497

Product No. 4498

Product No. 4493

Product No. 4494

Middle-01 18" x 18" x 3/4" Side Black-02 18" x 21.875" x 3/4" Corner Black-03 21.875" x 21.875" x 3/4" Side Yellow-04 18" x 21.875" x 3/4" Corner Yellow-05 21.875" x 21.875" x 3/4"

36" x 36"

Middle-01 36" x 36" x 3/4" Side Black-02 36" x 39.875" x 3/4" Corner Black-03 39.875" x 39.875" x 3/4" Side Yellow-04 36" x 39.875" x 3/4" Corner Yellow-05 39.875" x 39.875" x 3/4"

**Color:** Black with black border or yellow caution border

#### LINKABLE MAT SIZES

Mat End 39.875 x 43.75" x 3/4" Mat Middle 36" x 43.75" x 3/4"


**Color:** Black with black border or yellow caution border

#### WORKSTATION Mat Size

43.75 x 43.75" x 3/4"

US Patent 8,919,054











# **MODULAR TILES**









Hog Heaven III Traffic Modular Tile

Hog Heaven III Traffic Modular Tile

#### MODULAR TILE SIZES

18" x 18" Middle-01

18" x 18" x 5/8" Side-02 18" x 21.875" x 5/8" Corner-03 21.875" x 21.875" x 5/8"

36" x 36" Middle-01 36" x 36" x 5/8" Side-02 36" x 39.875" x 5/8" Corner-03 39.875" x 39.875" x 5/8"

#### LINKABLE **MAT SIZES**

Mat End 39.875 x 43.75"x 5/8" Mat Middle 36" x 43.75" x 5/8" US Patent 8,919,054

## HOG HEAVEN III™ **TRAFFIC TILES & MATS**


Anti-Fatigue · Slip-Resistant

5/8"	Modular Tile 18"x 18"	Product No. 4477
5/8"	Modular Tile 36"x 36"	Product No. 4478
5/8"	Modular Tile 18"x 18" Drainable	Product No. 4479
5/8"	Modular Tile 36"x 36" Drainable	Product No. 4480
5/8"	Linkable Mats Black Border	Product No. 4491
5/8"	Linkable Mats Yellow Border	Product No. 4492
5/8"	Linkable Mats Black Border Drainable	Product No. 4488
5/8"	Linkable Mats Yellow Border Drainable	Product No. 4489

Hog Heaven III Traffic mats and tiles provide a customizable matting solution for workstations with cart traffic. They offer ergonomic qualities yet are firm enough to support traffic from heavy carts.

- Firm & Durable Solid nitrile rubber foam lasts for years, even under heavy cart traffic
- **Comfortable** High-density, closed-cell nitrile rubber provides anti-fatigue qualities to reduce the pain and fatigue associated with standing for long periods of time
- **Versatile** Grease/oil proof; chemical resistant; welding safe; ESD rating of electrically conductive
- Mats and tiles are 5/8" thick and available with black or OSHAapproved caution yellow border





## **COMFORT FLOW™ HD TILES & MATS**

Slip-Resistant · Flow Through · Anti-Fatique

**Comfort Flow HD Modular Tile Comfort Flow HD Linkable Mats** 1/2" Comfort Flow HD Workstation Mat Product No. 4439

Product No. 4430 Product No. 4434

## **COMFORT SCRAPE™ HD TILES & MATS**

Slip-Resistant · Anti-Fatigue

1/2" **Comfort Scrape HD Modular Tile** Product No. 4431 **Comfort Scrape HD Linkable Mats** Product No. 4435 Comfort Scrape HD Workstation Mat Product No. 4440

- Clean Bi-level design traps dirt/debris to prevent tracking; lifetime anti-microbial treatment prevents odors and degradation of the mat
- Safe Beveled edges provide a safe transition from floor
- Comfortable High-density closed-cell nitrile rubber cushion provides excellent anti-fatigue qualities
- **Versatile** Grease and oil proof; chemical resistant; welding safe; ESD rating of electrically conductive
- Easy to Clean Lightweight and flexible design ensures easy handling and cleaning
- Comfort Flow HD has drainage holes to allow liquid to flow through; Comfort Scrape has a non-draining surface

Comfort Flow HD Modular Tile

#### MODULAR **TILE SIZES**

Corner tile 19.125" x 19.125" x 5/8" 37.375" x 37.375" x 5/8"

Side tile 18" x 19.125" x 5/8" 36" x 37.375" x 5/8" Middle tile 18" x 18" x 5/8" 36" x 36" x 5/8"

#### LINKABLE **MAT SIZES**

Mat End 37.125" x 39" x 5/8" Mat Middle 36" x 39" x 5/8"


















Dry or Wet / Indoor or Outdoor















# LOGO MAT

WATERHOG IMPRESSIONS HD®

WATERHOG® LOGO INLAY

CLASSIC IMPRESSIONS™ HD

GRAND IMPRESSIONS HD

CLASSIC IMPRESSIONS™ HD CUSTOM SHAPE

COLORSTAR® IMPRESSIONS

HOG HEAVEN® IMPRESSIONS

SUPERSCRAPE IMPRESSIONS™

## The M+A Matting Logo Mat Program

## M+A Matting offers numerous types of logo mats.

Each of these logo mat processes result in high quality products your customers will be very proud to use. Pricing is calculated by each individual design number and quantity. Different size logo mats and standard mats may not be combined for quantity discount.

## Ordering Logo Mats is as easy as 1-2-3:

- 1) Visit www.mamatting.com to submit your logo file using our easy to use web page.
- 2) Log into your account and select "Submit Design" from the "My Account" menu.
- Complete the necessary information on the submit page, attach your logo file and then click on "Send your design". Artwork should be 300 dpi or greater.

Your proof will be emailed back to you within 24 hours. Once your proof arrives by email, please take the following simple steps:

- 1) Approve or make necessary changes to the proof.
- Return the art proof with any changes or approved art proof with purchase order and quantity of mats to artwork5@mamatting.com.



Acceptable	Unacceptable	Marginal
Vector Graphic Files:	Faxes	Color Prints*
AI, EPS, PDF, CDR, SVG	Emblems	Newspaper Ads
Image Files:	Copies of Emblems	Yellow Pages Ads
TIFF (600 DPI/PPI)	Banners	Business Cards
JPG (600 DPI/PPI)	Flags	
PNG (600 DPI/PPI)	Full Size Mats	
Black/White Ad Slicks	Badges	
Letterhead	Shirts	
Brochures	Hats	
Business Literature		

<sup>\*</sup>Color prints, if available, may be submitted to show color placement for a design.



## Create your own proofs with The M+A Matting Mobile App!

Visit your app store and search "M+A Matting" to download app.

The M+A Matting Mobile App provides an easy way for users to search and view existing mat designs as well as create their own proofs using our simple tools.

#### Each user will be able to:

- Create proofs using the mobile device camera or by loading an image from their library
- Have access to a personal dashboard that saves all current and former artwork submissions associated with their account
- Get instant artwork approval using e-signature feature
- Track orders of designs that were created via the mobile app
- Filter search results by product category, size or mat orientation

#### M+A Matting's user friendly app is compatible with any mobile device.

Below is a condensed list of compatible devices:

- Android
- Android tablets
- iPhone\*
- iPad\*
- iPod Touch\*

\*all Apple products require iOS 6.0 or later







Color options







3/8" Fashion Border

Product No. 234 **Product No. 235** 

- Clean & Dry Bi-level surface effectively scrapes dirt and moisture from shoes, trapping it beneath shoe level to prevent tracking; water dam border holds moisture keeping it off your floors (WaterHog mats can hold up to 1.5 gallons of water per square yard)
- **Durable & Fade Resistant** Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat; solution-dyed fabric is fade-resistant
- Safe Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute
- 19 fabric colors to choose from; available with choice of Classic (rubber) border or Fashion (fabric) border
- Features 78-mil SBR rubber with choice of smooth or universal cleated backing

#### SIZES

2' x 3' 4' x 8' 3' x 4' 4' x 10' 3' x 5' 4' x 12' 3' x 10' 4' x 20' 3' x 12' 6' x 8' 3' x 16' 6' x 12' 3' x 20' 6' x 16' 4' x 6' 6' x 20'

See price list for all additional sizes.

Sizes are approximate.















Light Green\* Red/Black Camel Medium Brown **Dark Brown** Charcoal **Medium Blue Medium Grey** Bluestone Evergreen Solid Red\* **Bordeaux** Navy White\* Aquamarine\* Gold\* Yellow\* Orange\* Purple\*

\*These colors are ONLY available in 3' and 4' widths.









Logo · Wiper · Dust Control · Slip-Resistant

**SBR Rubber Border and Backing** 3/8" Vinyl Border and Backing

Product No. 73 Product No. 73

#### **GRAND IMPRESSIONS HD LOGO**

Logo · Wiper · Dust Control · Slip-Resistant

3/8" Serged Border, Vinyl Backing

Product No. 64

- Photographic-Quality Print Logos and designs are digitally printed with photographic quality; fine details, shading, and 3D images can be achieved; 150 standard colors options available
- **Resilient** High-twist, heat-set nylon (32-ounces/square yard) resists crushing to better trap dirt and extend the useful life of the mat
- Classic Impressions HD mats are available with SBR or vinyl backing; Grand Impressions HD mats are only available with vinyl backing

#### SIZES

2' x 3' 3' x 4' 3' x 5' 3' x 10' 4' x 6' 4' x 8' 5' x 8' 5' x 10' 6' x 10' 6' x 12'

See price list for all additional sizes. PMS custom color available at an additional charge.

Sizes are approximate.





Indoor













#### **COLORSTAR® IMPRESSIONS**

Logo · Wiper · Dust Control · Slip-Resistant

## 3/8" SBR Rubber Backing

#### Product No. 60

- Photographic-Quality Printing Logos and designs are digitally printed at 76 dpi (dots per inch), making fine details, shading, and 3-D images achievable
- Eco-Friendly PET (polyethylene terephthalate) carpet surface contains 50% post-consumer recycled content reclaimed from plastic bottles
- Fade Resistant PET yarn has excellent colorfastness and is resistant to fading from repeated washing/cleaning
- Stain Resistant PET yarn is naturally resistant to staining
- Safe Certified high-traction by the National Floor Safety Institute (NFSI)
- Choose from 60 standard colors
- SBR (48 mil) rubber backing

#### SIZES

- 2' x 3'
- 3' x 4'
- 3' x 5'
- 3' x 10'
- 4' x 6'
- 4' x 8'
- 5' x 8'
- 5' x 10'
- 6' x 10'
- 6' x 12'
- See price list for all additional sizes.

Sizes are approximate.







### **HOG HEAVEN® IMPRESSIONS**

Logo · Anti-Fatigue · Slip-Resistant

#### 5/8" Product No. 3422

- **Comfortable** 5/8" high-density nitrile-blended cushion helps eliminate pressure to the lower back and legs, providing superior comfort
- Safe Certified high-traction by the National Floor Safety Institute (NFSI); edges will not crack or curl and provide a safe transition from floor to mat
- **Durable** Nitrile-blended cushion provides years of useful service life; cushion is molded, not glued, to the nitrile rubber surface so it will not separate
- Versatile Welding safe; grease/oil resistant; chemical resistant; ESD rating of electrically conductive


#### SIZES

2' x 3'

3' x 5' 3' x 12' 4' x 6'

Sizes are approximate.
See price list for all additional sizes. PMS custom color available at an additional charge.

Dry or Wet / Indoor









Indoor or Outdoor

## **SUPERSCRAPE** IMPRESSIONS™ LOGO

#### 3/16" Product No. 3559

- Features your logo or image printed on a SuperScrape mat
- Clean Surface cleats effectively remove and trap dirt and sand below shoe level to prevent tracking
- Safe Slip resistant even in wet environments; certified high-traction by the National Floor Safety Institute (NFSI)
- Easy to Clean Lightweight flexible design ensures easy handling and cleaning (shake off soil and hose off); can be commercially laundered
- 3/16" thick nitrile rubber with circular surface cleats

## **SIZES**

2.5' x 3'

3' x 4'

3' x 5'

3' x 10'

4' x 6'

4' x 8'

6' x 6'

6' x 8' PMS custom

color available at an additional charge.

Sizes are approximate.













# INTERIOR-EXTERIOR MAT AND TILE COLLECTION

**WATERHOG®** 

WATERHOG® DIAMOND

WATERHOG® GRAND

WATERHOG® ECO GRAND

WATERHOG® ECO ELITE

WATERHOG® ECO PREMIER

WATERHOG® ECO ELITE ROLL GOODS

WATERHOG® DIAMONDCORD

WATERHOG® MASTERPIECE SELECT

WATERHOG® PLUS

WATERHOG® LOW PROFILE

WATERHOG® TILE

WATERHOG® MODULAR TILE

WATERHOG® FORKLIFT

MELT STEP®

**FRONTIER** 

SUPERSCRAPE™

SUPERSCRAPE PLUS®

 $\mathsf{MICROLUXX}^{\scriptscriptstyle\mathsf{TM}}$ 

COLORSTAR®

**ENVIRO PLUS®** 

PLUSH™

**IMPRESSIONIST** 

COBBLESTONE

SURE STRIDE®

SURE STRIDE® PLUSH

CLEAN STRIDE®



## **Scraper Entrance Mats**

Your First Line of Defense

Scraper mats are designed to stop mud and larger particles of dirt from being tracked inside buildings. These mats provide aggressive scraping action and trap dirt and debris in recessed areas until the mats are cleaned. Scraper mats can be used outside or inside and should be used in conjunction with a Scraper/Wiper mat and a Wiper mat.



## **Scraper/Wiper Entrance Mats**

The Second Step to Keeping Dirt Outside

Scraper/Wiper mats are designed to provide scraping action and wiping to further stop dirt and moisture from entering a facility. These mats are typically made of tough fabrics. They channel and retain dust in recessed grooves while absorbing moisture in the fabric face. These mats are primarily used inside but may be used outside in covered areas.



## **Wiper Entrance Mats**


The Third Weapon Against Dirt and Moisture

Wiper Entrance Mats are designed to stop any remaining dust and moisture left after using the Scraper mat and Scraper/Wiper mat. These mats are made with carpet facing to complement most interiors. These mats are for indoor use and when used in conjunction with a Scraper mat and Scraper/Wiper mat, they can stop as much as 85% to 95% of dirt and grime from being tracked into a building.

#### **Preventative Maintenance**

# Mats are the first defense to stop dirt and moisture from entering your building.

Mats filter these contaminants from entering the facility, saving thousands of dollars a year in cleaning costs. Mats also protect interior floor surfaces from excessive damage and wear. Entrance mats are the most effective way of stopping dirt and moisture at the door and keeping building maintenance costs to a minimum.



#### **Consider These Facts...**

- 70% to 80% of dust, grime and dirt in a building is tracked in from the outside on people's feet—permanently damaging floors
- One square yard of carpet can accumulate one pound of dirt a week—twice that in inclement weather
- It is estimated that the cost to find and remove a single pound of dirt from a building can run in excess of \$600 in cleaning costs.
   As few as 150 people entering a facility can track in one pound of dirt in a 5 day work week costing over \$30,000 dollars annually to remove.
- By utilizing high performance entrance matting of at least 10' to 15' (as recommend by the U.S. Green Building Council and the Carpet and Rug Institute) you can capture as much as 85% to 95% of contaminants that enter the building, saving maintenance dollars and protecting building assets

## **WaterHog® Backing Types**



SBR Rubber .078 mil thickness Universal Cleated Backing Recommended for carpeted floors.



.078 mil thickness Smooth Backing Recommended for hard floor surfaces (with light to medium traffic).

**SBR Rubber** 



Nitrile Rubber
.100 mil thickness
Anchor Safe® Backing
Recommended for hard floor surfaces with
heavy traffic and where carts are in use.
Available with classic rubber border only.

## Slip and Fall Facts

#### THE PROBLEM:

- Slip and falls are the second leading cause of all workplace injuries (Liberty Mutual Workplace Safety Index; 2007)
- Approximately 25,000 people a day are victims of slip and fall accidents (NSC)

#### THE COST:

- Compensation and medical costs associated with employee slip and fall accidents total approximately \$70 billion annually (NSC)
- The average cost of a slip and fall related injury exceeds \$12,000 (Wausau Insurance)

#### THE HUMAN FACTOR:

- 65% of all lost work days are due to slip and fall accidents
- 22% of slip and fall accidents resulted in more than 31 days away from work (Bureau of Labor Statistics)

#### THE RISK:

- The average cost to defend a slip and fall lawsuit is \$50,000 (NFSI)
- 57% of all food service general liability claims are slip and fall accidents (C.N.A. Insurance)
- Since 1980, personal injury lawsuits have risen by more than 300% in the food service industry (National Floor Safety Institute)
- Plaintiffs win 51% of premises liability claims (JVR)



# **WATERHOG®**


 $\textbf{Scraper/Wiper} \cdot \textbf{Slip-Resistant}$ 

3/8" Classic Border Product No. 200 3/8" Fashion Border Product No. 280

## WATERHOG® DRAINABLE

Indoor or Outdoor







- Clean & Dry Bi-level surface effectively scrapes dirt and moisture from shoes, trapping it beneath shoe level to prevent tracking; water dam border holds moisture keeping it off your floors (WaterHog mats can hold up to 1.5 gallons of water per square yard)
- **Durable** Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat
- Fade & Stain Resistant Solution-dyed fabric is resistant to staining, dries quickly, and will not fade or rot
- Safe Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- Eco-Friendly Rubber backing contains 20% postconsumer recycled rubber from car tires
- Available in 19 colors with choice of Classic (rubber) border or Fashion (fabric) border
- Feature 78-mil SBR rubber with universal cleated backing or smooth backing; available with optional Anchor Safe<sup>®</sup> nitrile rubber backing on Classic border mat only

#### SIZES

18" x 27" 4' x 8' 2' x 3' 4' x 10' 3' x 4' 4' x 12' 3' x 5' 4' x 16' 3' x 8' 4' x 20' 3' x 10' 6' x 8'

3' x 12' 6' x 12' 3' x 16' 6' x 16' 3' x 20' 6' x 20'

3' x 20' 4' x 6'

See price list for additional size options. Mats up to 40' are available with universal cleated or smooth backing. Mats over 40' are only available with smooth backing. Anchor Safe backing is available upon request on mats up to 20'. Anchor Safe backing features 100 mil nitrile rubber and is a 30% upcharge.

Sizes are approximate.




\*These colors are available in 3' and 4' widths only.









- moisture from shoes, trapping it beneath shoe level to prevent tracking; water dam border holds moisture keeping it off your floors (WaterHog mats can hold up to  $1\,1/2$  gallons of water per square yard)
- **Durable** Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat
- Fade & Stain Resistant Solution-dyed fabric is resistant to staining, dries quickly, and will not fade or rot
- Safe Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- **Eco-Friendly** Rubber backing contains 20% postconsumer recycled rubber from car tires
- Available in 19 colors with choice of Classic (rubber) border or Fashion (fabric) border
- Feature 78-mil SBR rubber with universal cleated backing or smooth backing; available with optional Anchor Safe® nitrile rubber backing on Classic border mat only

#### SIZES

4' x 6'

2' x 3' 4' x 8.4' 3' x 4' 4' x 10' 3' x 5' 4' x 12.2' 3' x 6' 4' x 16' 3' x 8.4' 4' x 20' 3' x 10' 6' x 6' 3' x 12.2' 6' x 8.4' 6' x 12.2' 3' x 16' 6' x 16' 3' x 20'

See price list for additional size options. Mats up to 40' are available with universal cleated or smooth backing. Mats over 40' are only available with smooth backing. Anchor Safe backing is available upon request on mats up to 20'. Anchor Safe backing features 100 mil nitrile rubber and is a 30% upcharge.

6' x 20'

Sizes are approximate.



Rubber reinforced textile





\*These colors are ONLY available in 3' and 4' widths.











3/8" Half Oval: No. 272 One End: No. 273 Two Ends: No. 274

- Clean & Dry Bi-level surface effectively scrapes dirt and moisture from shoes, trapping it beneath shoe level to prevent tracking; water dam border holds moisture keeping it off your floors (WaterHog mats can hold up to 1.5 gallons of water per square
- **Durable** Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat
- Fade & Stain Resistant Solution-dyed fabric is resistant to staining, dries quickly, and will not fade or rot
- Safe Beveled edges provide a safe transition from floor to mat; certified hightraction by the National Floor Safety Institute (NFSI)
- **Eco-Friendly** Rubber backing contains 20% post-consumer recycled rubber from car tires
- Available in 19 colors with 78-mil SBR rubber with universal cleated backing or smooth backing

#### **SIZES**

HALF OVAL	TWO ENDS
3' x 1.8'	3' x 7'
4' x 2.3'	3' x 11.7'
6' x 3.3'	3' x 15.5'
ONE END	3' x 19.4'
3' x 5.5'	3' x 23.2'
3' x 10'	4' x 8'
3' x 13.9'	4' x 12.6'
3' x 17.7'	4' x 16.5'
3' x 21 6'	4' x 20.3'
3 x 21.0 4' x 5.9'	6' x 10.1'
4 x 5.9 4' x 10 5'	6' x 14.8'
4 x 10.5 4' x 14 4'	6' x 18.6'
	6' x 22.4'
4' x 18.2'	

6' x 7' 6' x 11.6'

6' x 15.4' 6' x 19.3'

6' x 23.1'

See price list for additional size options. Mats up to 40' are available with universal cleated or smooth backing. Mats over 40' are only available with smooth backing.

Sizes are approximate.









Indoor or Outdoor















\*These colors are ONLY available in 3' and 4' widths.




















Indoor or Outdoor

Half Oval Product No. 2246









## **WATERHOG® ECO GRAND**

Scraper/Wiper · Slip-Resistant

3/8" Half Oval: No. 2246

One End: No. 2243

Two Ends: No. 2244

- Clean & Dry Raised nubs remove dirt and moisture from shoes and trap it below foot level; water dam border holds up to 1.5 gallons of water per square yard, keeping your floors clean, dry, and safe
- Eco-Friendly PET fabric is made from 100% post-consumer recycled plastic from drink bottles, and SBR rubber backing contains 20% recycled rubber from car tires
- Safe Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- **Durable** Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat
- Fade & Stain Resistant Solution-dyed PET fabric is resistant to staining, dries quickly, and will not fade or rot
- Available in 8 colors with 78-mil SBR rubber with universal cleated backing or smooth backing

#### SIZES

HALF OVAL 3' x 1.8' 4' x 2.3' 6' x 3.3' ONE END 3' x 5.5' 3' x 10' 3' x 13.9' 3' x 17.7' 3' x 21.6' 4' x 5.9' 4' x 10.5' 4' x 14.4' 4' x 18.2' 4' x 22' 6' x 7' 6' x 11.6' 6' x 15.4' 6' x 19.3' 6' x 23.1'	TWO ENDS 3' x 7.1' 3' x 11.7' 3' x 15.5' 3' x 19.4' 3' x 23.2' 4' x 8' 4' x 12.6' 4' x 16.5' 4' x 20.3' 6' x 10.1' 6' x 14.8' 6' x 22.4'
See price list fo size options. M are available wi	ats up to 40'

are available with universal cleated or smooth backing. Mats over 40' are only available with smooth backing.

Sizes are approximate.

















Indigo

**Regal Red** 





### WATERHOG® ECO ELITE

Scraper/Wiper · Slip-Resistant

3/8" Product No. 2240 Classic Border 3/8" Fashion Border Product No. 2241

- Clean & Dry Raised nubs remove dirt and moisture from shoes and trap it below foot level; water dam border holds up to 1.5 gallons of water per square yard, keeping your floors clean, dry, and safe
- Eco-Friendly PET fabric is made from 100% postconsumer recycled plastic from drink bottles, and SBR rubber backing contains 20% recycled rubber from car tires
- Safe Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- **Durable** Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat
- Fade & Stain Resistant Solution-dved PET fabric is resistant to staining, dries quickly, and will not fade or rot
- Available in 8 colors with choice of Classic (rubber) border or Fashion (fabric) border
- Feature 78-mil SBR rubber with universal cleated backing or smooth backing; available with optional Anchor Safe® nitrile rubber backing on Classic border mat only

#### **SIZES**

2' x 3' 4' x 10' 3' x 4' 4' x 12.2' 4' x 16' 3' x 5' 3' x 6' 4' x 20' 3' x 8.4' 6' x 6' 6' x 8.4' 3' x 10' 3' x 12.2' 6' x 12.2' 3' x 16' 6' x 16' 3' x 20' 6' x 20' 4' x 6' 4' x 8.4'

See price list for additional size options. Mats up to 40' are available with universal cleated or smooth backing. Mats over 40' are only available with smooth backing. Anchor Safe backing is available upon request on mats up to 20'. Anchor Safe backing features 100 mil nitrile rubber and is a 30% upcharge.

Sizes are approximate.



WaterHog Eco Elite





















**Black Smoke** 

Indigo

Maroon

**Chestnut Brown** 

Khaki

Regal Red




**Southern Pine** 



















Indoor or Outdoor



WaterHog Eco Premier



WaterHog Eco Premier Fashion





3/8" Fashion Border Product No. 2297 • Clean & Dry - Raised nubs remove dirt and moisture

- from shoes and trap it below foot level; water dam border holds up to 1.5 gallons of water per square yard, keeping your floors clean, dry, and safe
- Eco-Friendly PET fabric is made from 100% postconsumer recycled plastic from drink bottles, and SBR rubber backing contains 20% recycled rubber from
- Safe Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- **Durable** Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat
- Fade & Stain Resistant Solution-dyed PET fabric is resistant to staining, dries quickly, and will not fade or rot
- Available in 8 colors with choice of Classic (rubber) border or Fashion (fabric) border
- Feature 78-mil SBR rubber with universal cleated backing or smooth backing; available with optional Anchor Safe® nitrile rubber backing on Classic border mat only

#### SIZES

2' x 3' 4' x 10' 3' x 4' 4' x 12.2' 3' x 5' 4' x 16' 3' x 6' 4' x 20' 3' x 8.4' 6' x 6' 3' x 10' 6' x 8.4' 3' x 12.2' 6' x 12.2' 3' x 16' 6' x 16' 3' x 20' 6' x 20' 4' x 6' 4' x 8.4'

See price list for additional size options. Mats up to 40' are available with universal cleated or smooth backing. Mats over 40' are only available with smooth backing. Anchor Safe backing is available upon request on mats up to 20'. Anchor Safe backing features 100 mil nitrile rubber and is a 30% upcharge.

Sizes are approximate.

















**Black Smoke** 

Indigo

**Southern Pine** 


Maroon

**Chestnut Brown** 

Khaki

Regal Red





- SBR rubber backing contains 20% post-consumer recycled rubber from car tires
- Available in 8 colors with 78-mil smooth SBR rubber backing
- Designed to be installed like carpeting or loose-laid like a mat





#### WATERHOG® DIAMONDCORD

Scraper/Wiper · Slip-Resistant

#### Product No. 296 3/8"

- Clean & Dry Bi-level surface effectively scrapes dirt and moisture from shoes, trapping it beneath shoe level to prevent tracking; water dam border holds moisture keeping it off your floors (WaterHog mats can hold up to 1.5 gallons of water per square vard)
- **Durable** Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat
- Fade & Stain Resistant Solution-dyed polypropylene fabric is resistant to staining, dries quickly, and will not fade or rot
- Safe Beveled edges provide a safe transition from floor to mat; certified high-traction by the National Floor Safety Institute (NFSI)
- Eco-Friendly Rubber backing contains 20% postconsumer recycled rubber from car tires
- Available in 3 colors with a Classic (rubber) border
- Feature 78-mil SBR rubber with universal cleated backing or smooth backing; available with optional Anchor Safe® nitrile rubber backing

#### SIZES

2' x 3' 4' x 6' 3' x 4' 4' x 8.4' 3' x 5' 4' x 10' 3' x 6' 6' x 6' 3' x 8.4' 6' x 8.4' 3' x 10'

See price list for additional size options. Mats up to 40' are available with universal cleated or smooth backing. Mats over 40' are only available with smooth backing. Anchor Safe backing is available upon request on mats up to 20'. Anchor Safe backing features 100 mil nitrile rubber and is a 30% upcharge.

Sizes are approximate.



Indoor













**Charcoal Cord** 

**Green Cord** 

**Grey Cord** 

**Brown Cord** 









Indoor

## WATERHOG® MASTERPIECE® SELECT

Scraper/Wiper · Slip-Resistant

#### 3/8" Product No. 265

- Clean & Dry Bi-level surface effectively scrapes dirt and moisture from shoes, trapping it beneath shoe level to prevent tracking; water dam border holds moisture keeping it off your floors (WaterHog mats can hold up to 1 ½ gallons of water per square yard)
- Durable Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat
- Fade & Stain Resistant Solution-dyed polypropylene fabric is resistant to staining, dries quickly, and will not fade or rot
- **Safe** Beveled edges provide a safe transition from floor to mat: certified high-traction by the National Floor Safety Institute (NFSI)
- Eco-Friendly Rubber backing contains 20% post-consumer recycled rubber from car tires
- Available in 6 colors with a Classic (rubber) border
- Feature 78-mil SBR rubber with universal cleated backing or smooth backing; available with optional Anchor Safe® nitrile rubber backing

#### SIZES


4' x 6' 2' x 3' 3' x 4' 4' x 8' 4' x 10' 3' x 5' 3' x 8' 6' x 8'

3' x 10'

See price list for additional size options Mats up to 40' are available with universal cleated or smooth backing. Mats over 40' are only available with smooth backing. Anchor Safe backing is available upon request on mats up to 20'. Anchor Safe backing features 100 mil nitrile rubber and is a 30% upcharge.

Sizes are approximate.













#### **WATERHOG® PLUS**

Scraper/Wiper · Slip-Resistant

## 3/8" Product No. 185

Features a 100% PET recycled surface with a durable nitrile rubber backing.

- Clean and Dry Water dam border holds moisture; raised nubs are resistant to crushing and keep dirt below foot level
- Environmentally-Friendly Constructed with 100% post-consumer PET polyester (made from recycled plastic)
- Safe Beveled edges provide a safe transition from mat to floor; certified high-traction by the National Floor Safety Institute (NFSI)
- Durable 90 mil nitrile rubber backing ensures the mat lays flat and remains in place



2' x 3' 3' x 4'

3' x 5'


3' x 10' 4' x 6' 4' x 8'

5' x 7'\* 5' x 10'\*

6' x 12'

Sizes are approximate.

\*Minimum order of 100 pieces required for select sizes.



Indoor or Outdoor

WaterHog Plus Grey Ash



Black Smoke Indigo

Southern Pine

Grey Ash

Maroon

Chestnut Brown

Regal Red

Khaki

SIZES

3' x 5' 3' x 10'

4' x 6' 4' x 10'

Sizes are

approximate.













## WATERHOG® LOW PROFILE

Scraper/Wiper · Slip-Resistant

#### 3/10" Product No. 251

- Clean & Dry Bi-level surface effectively scrapes dirt and moisture from shoes, trapping it beneath shoe level to prevent tracking
- **Durable** Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat
- Fade & Stain Resistant Solution-dyed fabric is resistant to staining, dries quickly, and will not fade or rot
- Safe Low-profile borders help reduce potential tripping hazards; certified high-traction by the National Floor Safety Institute (NFSI)
- Available in 3 neutral colors to blend with virtually any décor
- Feature Anchor Safe® backing (made from durable 100-mil nitrile rubber) designed to keep mats in place











Charcoal

Granite







#### **WATERHOG® CLASSIC TILE**

Scraper/Wiper · Slip-Resistant

#### 1/4" and 7/16"

#### No. 210-square, No. 216-diamond, No. 219-diagonal, No. 220-geometric

• Clean & Dry — Bi-level surface effectively scrapes dirt and moisture from shoes, trapping it beneath shoe level to prevent tracking

- **Durable** Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat
- Fade & Stain Resistant Solution-dyed fabric is resistant to staining, dries quickly, and will not fade or rot
- Safe Certified high-traction by the National Floor Safety Institute (NFSI)
- Available in 18 colors with choice of 4 patterns: waffle, diamond, diagonal, or geometric
- Available with choice of 100-mil or 200-mil SBR cleated rubber backing



18" x 18"



























## **WATERHOG® MODULAR TILE SQUARE**

Scraper/Wiper · Slip-Resistant

#### Product No. 2210

- Clean & Dry Bi-level surface effectively scrapes dirt and moisture from shoes, trapping it beneath shoe level to prevent tracking
- Durable Reinforced rubber nubs prevent pile from crushing and extend the performance life of the mat
- Fade & Stain Resistant Solution-dyed fabric is resistant to staining, dries quickly, and will not fade or rot
- Easy to Install Tiles link together easily and are designed to be installed without glue or the need for professional installers; side and corner borders (sold separately) securely link to the outer perimeter of the installation
- Available in 18" or 36" tiles with 12 color options
- Feature 200-mil SBR cleated rubber backing
















Indoor





• **Durable** — Reinforced rubber nubs, backing, and fabric top are designed to withstand forklift traffic up to 14,000 pounds

• Clean and Dry — Bi-level surface removes dirt and moisture from wheels and trap it to minimize tracking; water dam border holds up to 1.5 gallons of water per square yard, keeping your floors clean, dry, and safe

• Easy to Install — Modular mats are easy to install and scalable for large applications; aggressive adhesive taping system (sold separately) keeps tiles from moving

• Available in 6 colors with 100 mil SBR smooth rubber backing

SIZE

4' x 6'

Sizes are approximate.













Medium Brown

Dark Brown

Charcoal

Red/Black

Medium Grey

Navy











Dry or Wet / Outdoor





3/8" One Connector Product No. 886 3/8" Two Connector Product No. 887 Product No. 889 **Accessories** 

- Effective Mat will heat to approximately 40-45°F above ambient air temperature
- Safe Waterproof electrical connection system with GFCI switch prevents electrical shock hazard; certified high-traction by the National Floor Safety Institute (NFSI)
- **Durable** Molded nitrile rubber construction is waterproof, UV-resistant, and flexible even in freezing temperatures
- **Scalable** Up to 4 mats can be connected in sequence to cover up to 20 linear feet of walkway
- All Melt Step mats are 3' x 5' with choice of one connector or two connectors; unique reversable design of the mat permits electrical connection on the right or left side of the walkway
- 6' power cord (120 volts) with GFCI switch as well as 6' extension cord are both sold separately

#### SIZE

3' x 5' Sizes are approximate.

#### **FRONTIER**

Slip-Resistant · Scraper

#### **Product No. 437** 3/8"

- Spaghetti-like design filters dirt and moisture away from the surface
- Designed for indoor or outdoor usage
- Available with or without edging

#### **SIZES**

2' x 3' 4' x 8' 3' x 5' 3' x 60' 3' x 10' 4' x 60' 4' x 6'

Additional lengths up to 40' in 3' and 4' widths Sizes are approximate.



Dark Grey










SuperScrape










## **SUPERSCRAPE™**

Scraper · Slip-Resistant

#### Product No. 555 3/16"



- Safe Slip resistant even in wet environments; certified high-traction by the National Floor Safety Institute (NFSI)
- Suitable for Harsh Environments Grease/oil proof; chemical resistant
- Easy to Clean Lightweight flexible design ensures easy handling and cleaning (shake off soil and hose off); can be commercially laundered or autoclave sterilized
- 3/16" thick nitrile rubber

#### SIZES

2'6" x 3' 3' x 5'

3' x 10'

4' x 6' \*4' x 8'

\*6' x 6'

\*6' x 8'

Sizes are approximate.



Scraper · Slip-Resistant

3/16" without holes Product No. 5558 3/16" with holes Product No. 5559

- **Clean** Multi-directional surface cleats effectively remove and trap dirt and sand below shoe level to prevent tracking; drainable borders filter water off mat
- **Safe** Certified high-traction by the National Floor Safety Institute (NFSI)
- Suitable for Harsh Environments Grease/oil proof; chemical resistant
- Easy to Clean Lightweight flexible design ensures easy handling and cleaning (shake off soil and hose off); can be commercially laundered or autoclave sterilized
- 3/16" thick nitrile rubber construction



2'6" x 3' 3' x 5'

3' x 10'

4' x 6'

Sizes are approximate.









#### MICROLUXX<sup>™</sup>

Wiper · Dust Control · Slip-Resistant

#### Product No. 1201

Features traditional nylon fibers blended with finer denier fibers that work together to absorb high levels of dirt and moisture.

- Superior dust and moisture control Absorbs and retains 2.5 times more moisture than standard carpeted mats
- Fade resistant Solution-dyed nylon won't fade in sunlight or with repeated washing; impervious to bleach
- Safe Beveled edges provide a safe transition from mat to floor; certified high-traction by the National Floor Safety Institute (NFSI)
- Durable nitrile rubber backing (available in 52, 65, or 90 mil)

#### SIZES

2' x 3' 4' x 8' 2.5' x 3' 5' x 8' 2.5' x 4' 5' x 10' 3' x 4' 5' x 12' 3' x 5' 6' x 8' 3' x 10' 6' x 10' 4' x 6' 6' x 12' Custom sizes up to 40' Sizes are approximate.



Indoor











## **COLORSTAR®**

Wiper · Dust Control · Slip-Resistant

#### Product No. 100

- **Resilient** The PET fabric makes this mat stain resistant, fade resistant, UV resistant, and heat resistant
- **Eco-friendly** PET (polyester) carpet is made from recycled plastic reclaimed from drink bottles (contains 50% recycled content)
- Safe Certified high-traction by the National Floor Safety Institute
- Available in 24 colors with choice of SBR (48 mil) or nitrile rubber (52 mil, 65 mil, 90 mil) or vinyl backing



#### **SIZES**

2' x 3' 3' x 4'

3' x 5'

3' x 6' 3' x 8'

3' x 10' 4' x 6'

4' x 8' 4' x 10'

Additional lengths up to 40'. See price list for all additional sizes.

#### **XL SIZES**

7'- 12' widths are available in lengths up to 30'. See price list for all additional sizes. Sizes are approximate.









Silver



Slate









Charcoal



Platinum



Navy

**Emerald Green** 

Red/Black

**Browntone** 

**Cabot Grey** 

**Dark Granite** 

Chocolate



















Solid Red

Midnight Blue

**Autumn Brown** 







**Burgundy Berry** 

Steel Blue

Glen Green

Stardust Grey

Suede

Cranberry







#### **ENVIRO PLUS®**

Wiper · Dust Control · Slip-Resistant

#### Product No. 2202

- Clean Stops dirt and moisture at your door
- Environmentally-friendly Made with 100% postconsumer recycled PET fabric reclaimed from plastic drink bottles; crumb rubber backing contains postconsumer recycled tires
- Durable PET fabric is stain-resistant and faderesistant
- Available with smooth backing only

Sizes are approximate. Additional lengths up to 60'. See price list for all additional sizes.



3' x 4' 4' x 12' 3' x 5' 4' x 16' 3' x 8' 4' x 20' 3' x 10' 6' x 8'

3' x 12' 6' x 12' 3' x 16' 6' x 16' 3' x 20' 6' x 20'

4' x 6' 4' x 8'







Indigo **Southern Pine** 









Khaki



**Regal Red** 











#### **PLUSH™**

Wiper · Dust Control · Slip-Resistant

#### Product No. 180

- Superior Moisture & Dust Control Heavy carpet pile absorbs and retains 50% more moisture and dust than standard mats
- **Resilient** High-twist, heat-set nylon resists crushing to better trap dirt and extend the useful life of the mat
- Fade Resistant Solution-dyed nylon won't fade in sunlight or with repeated washing; impervious to bleach
- Safe Certified high-traction by the National Floor Safety Institute (NFSI)
- Available in 8 color options backed with durable 90-mil nitrile rubber

## SIZES

2' x 3' 3' x 4'


3' x 10'

4' x 6'

4' x 8'

See price list for all additional sizes Sizes are

approximate.





















Black Brown/Black

**Deeper Navy** 

Red Pepper

**Midnight Grey** 

**Red Pepper** 

**Slate Grey** 

**Dark Green** 







#### **IMPRESSIONIST**

Wiper · Dust Control · Slip-Resistant

#### 3/8" Product No. 871


- Durable olefin yarn resists fading and straining
- Designed to release dirt easily with daily vacuuming, or can be cleaned with commercial carpet cleaning system; not launderable
- Available in 8 colors with 70-mil smooth vinyl backing

#### SIZES

2' x 3' 4' x 6' 3' x 4' 4' x 8' 3' x 5' 3' x 60' 3' x 6' 4' x 60' 3' x 10'

Sizes are approximate. See price list for all additional sizes. 3' and 4' in lengths up to 60'. 6' widths lengths up to 40'.













Black









Academy Blue

Burgundy

Cardinal

Forest Green

**Navy Blue** 

Sable

Salt & Pepper



Indoor

#### **COBBLESTONE**

Wiper · Dust Control · Slip-Resistant

## 5/16" Product No. 870

- Durable polypropylene surface scrapes and traps dirt and moisture in the recessed grooves;
- Designed to release dirt easily with daily vacuuming, or can be cleaned with hose or pressure washer; not launderable
- Available in 6 colors with 70-mil smooth vinyl backing

#### SIZES

2' x 3' 4' x 6' 3' x 4' 4' x 8' 3' x 5' 3' x 60' 3' x 6' 4' x 60'

3' x 10'

Sizes are approximate. See price list for all additional sizes. 3' and 4' in lengths up to 60'. 6' widths lengths up to 40'.

















Charcoal

**Brick** 

## SURE STRIDE®

Slip-Resistant



5/64" 3' x 100' Roll Product No. 4450 Cutting Board Product No. 4459 Cutting Knife Product No. 4460

 Keeps Floors Dry — Retains up to 1 gallon of water per 10 linear feet (25% more than competitive products); moisture barrier keeps liquids from soaking through to the floor

2' x 25' 3' x 100' rolls

 Stays in Place — Tacki-Back adhesive system keeps mat flat and in place, even with cart and buggy traffic

- Easy to Install Cut individual mats as needed from the roll
- Easy to Clean Polypropylene fabric (12 oz.) is durable and easy to clean
- Safe Certified high-traction by the National Floor Safety Institute (NFSI)

**Cutting Board** 

FREE CUTTING KNIFE with Each Roll!  Odor Resistant – Fabric is treated with an anti-microbial agent to help prevent odors

• Will perform up to 4 months under normal use





Tacki-Back

**Cutting Knife** 



Slip-Resistant

#### 9/64" Product No. 4457

 Keeps Floors Dry — Retains more than 1 gallon of water per 10 linear feet; moisture barrier keeps liquids from soaking through to the floor

SIZE 3' x 30' roll

- Stays in Place Tacki-Back adhesive system keeps mat flat and in place, even with wheelchair, cart, and buggy traffic
- Odor Resistant Fabric is treated with an anti-microbial agent to help prevent odors
- Easy to Install Cut individual mats as needed from the roll
- Easy to Clean Recycled PET fabric (15 oz.) is durable and easy to clean
- Safe Certified high-traction by the National Floor Safety Institute
- Will perform for up to 4 months under normal use







#### **CLEAN STRIDE®**

3/8" Frame Only 3/8" Frame with Carpet Inserts (60 sheets) Product No. 410 Product No. 411 Product No. 412

**INSERT SIZES** 

24" x 30"

34" x 44"

• Clean & Dry - Raised nubs on the WaterHog mat remove dirt and moisture from shoes and trap it below foot level while the adhesive insert removes any remaining dirt or dust particles

Not recommended for wet areas

#### RUBBER FRAME SIZES

26.5" x 32" 36.5" x 46"

#### CARPET/ RUBBER FRAME SIZES

26.5" x 63.5" 36.5" x 92.5" Clean Stride Mat Frames **do not** include Clean Stride Inserts





Indoor

The Clean Stride adhesive insert is comprised of 60 layers of adhesive coated film. Each layer will perform many times before it must be peeled away. Each layer is numbered to ensure one sheet at a time removal and to indicate the number of layers remaining.









